

GENUINE
RIGGING-PARTS
AND
ACCESSORIES

SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any item at any time without notice. Some items might not be compatible with local standards or statutory requirements. Please check with your local AUTHORIZED SUZUKI DEALER for details at the time of ordering. Acutual colors might differ from those appearing in this catalogue.
©2010 SUZUKI MOTOR CORPORATION. All rights reserved.
Printed in Japan. © October 2010. Part number: 99000-79N12-071



SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU CITY, JAPAN 432-8611

Your AUTHORIZED SUZUKI DEALER

BEFORE YOU SAIL OUT, CHECK YOUR MOTOR AND FUEL FOLLOWING THE OWNER'S MANUAL, AND WEAR PROPER ATTIRE.



Way of Life!

GENUINE RIGGING-PARTS AND ACCESSORIES

Dear Customer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand GENUINE SUZUKI ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on GENUINE SUZUKI ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to visit your AUTHORIZED SUZUKI DEALER for the complete ordering information.

Thank you.

SUZUKI MOTOR CORPORATION

TABLE OF CONTENTS

SUZUKI MODULAR INSTRUMENT SYSTEM		04
INSTRUMENT	ELECTRONIC INSTRUMENT	10
	GAUGE CONNECTION CHART	12
	ANALOG INSTRUMENT	14
CONTROL SYSTEM	SPC ELECTRONIC THROTTLE AND SHIFT SYSTEM	18
	MECHANICAL REMOTE CONTROL SYSTEM	22
STEERING		26
ELECTRICAL PARTS		28
ANODE		29
FUEL SYSTEM		30
PROPELLER		32
CARE ITEM		34
MAINTENANCE ITEM		34
APPLICATION CHART		36

REFERENCE	
Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilo-meter Per Hour
mph	Miles Per Hour
knots	Knot

APPLICABLE MODELS

NOTE
Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers.
Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number	model	engine number
DF300Z	30002Z-110001 -	DF100	10002F-110001 -
DF300T	30002F-110001 -	DF90A	09003F-110001 -
DF250Z	25004Z-110001 -	DF80A	08002F-110001 -
DF250T	25003F-110001 -	DF70A	07003F-110001 -
DF225Z	22503Z-110001 -	DF60A	06002F-110001 -
DF225T	22503F-110001 -	DF50A	05003F-110001 -
DF200Z	20002Z-110001 -	DF40A	04003F-110001 -
DF200T	20002F-110001 -	DF25	02503F-110001 -
DF175Z	17502Z-110001 -	DF15	01503F-110001 -
DF175T	17502F-110001 -	DF9.9A	00994F-110001 -
DF150Z	15002Z-110001 -	DF8A	00801F-110001 -
DF150T	15002F-110001 -	DF6	00602F-110001 -
DF140Z	14002Z-110001 -	DF5	00502F-110001 -
DF140T	14002F-110001 -	DF4	00402F-110001 -
DF115Z	11502Z-110001 -	DF2.5	00252F-110001 -
DF115T	11502F-110001 -		

MEANING OF MODEL APPLICATION IN THIS CATALOGUE

DESCRIPTION	INVOLVED MODELS	NOT INVOLVED MODELS
DF8A-9.9AR	DF8A, DF8AR, DF9.9A and DF9.9AR	DF9.9T and DF9.9R
DF8A/9.9AR	DF8A and DF9.9AR	
DF9.9T-15R	DF9.9T, DF9.9TH, DF15 and DF15R	
DF9.9T/15/15R	DF9.9T, DF15 and DF15R	DF9.9TH
DF25/25R	DF25 and DF25R	
DF70AT-90AT	DF70AT, DF80AT and DF90AT	
DF70AT/90AT	DF70AT and DF90AT	
DF150T/Z-175T/Z	DF150T, DF150Z, DF175T and DF175Z	
DF150T/175T	DF150T and DF175T	DF150Z and DF175Z
DF250T/Z-300T/Z	DF250T, DF250Z, DF300T and DF300Z	
DF300T/Z	DF300T and DF300Z	

SUZUKI MODULAR INSTRUMENT SYSTEM

SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS) uses an easy to connect and expandable cable system to transmit graphic and numerical data to Multi-Function gauges. Easy to set up and install system can be used with nearly any boat and DF300 SUZUKI Outboard. Connected to the NMEA2000 compatible system, the gauges can display real-time readings from compatible electronic probes and the exclusive SMIS engine interface to monitor all engine functions. (Engine Monitor with 4" gauge only)

APPLICABLE MODELS : DF40A-DF300T/Z

SMIS MULTI-FUNCTION GAUGE

The 4" multi-function gauge uses a state-of-the-art high-contrast, dot matrix display to monitor real-time graphic and numerical digital data. When connected into the SMIS system, it can monitor all engine functions, act as a speedometer, tachometer, GPS*, and many others. (*GPS requires additional hardware.)

The 2" multi-function gauge is capable of all functions of the 4" gauge except diagnostic informations. When connected to the SMIS system, it can be programmed to monitor all other functions.

4" SMIS MULTI-FUNCTION GAUGE



Quad analog page as a tachometer, a volt meter, a water-pressure gauge and a speedometer for single engine

34200-88L00-000 001

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**



Engine trim page as a trim gauge for single engine



Single analog page as a tachometer for single engine



Single analog page as a speedometer



Fuel manager page as a fuel gauge



Dual digital page as a hour meter and a speedometer for single engine



Diagnostics page

2" SMIS MULTI-FUNCTION GAUGE



Fuel manager page

34800-88L00-000 002

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**



as a volt meter for single engine



Engine trim page as a trim gage for single engine



Fuel manager page

** The detail instructions of display-operation are explained in the Operation & Installation Manual.

GAUGE KIT

4" GAUGE KIT

34011-88L00-000 003


This kit contains basic components to install digital gauge.



2" GAUGE KIT

34011-88L10-000 004

This kit is supplementary to analog gauge system, and it can display information which analog gauge system cannot indicate such as fuel consumption.



Available for your convenience. Refer to the following chart for the contents.

Contents					
part name	part number	quantity			
		4" Gauge Kit 34011-88L00-000	***	2" Gauge Kit 34011-88L10-000	***
1 4" SMIS Multi-Function Gauge	34200-88L00-000 001	1	1	-	-
2 2" SMIS Multi-Function Gauge	34800-88L00-000 002	-	-	1	1
3 Terminator Female	36665-88L00-000 013	1	-	1	-
4 Terminator Male	36665-88L10-000 014	1	-	1	-
5 Extension Cable 25 feet	36662-88L00-000	-	-	1	-
6 Engine Interface Unit	34922-88L00-000 005	1	1	1	1
7 SMIS Power Cable	36663-88L00-000 010	1	1	1	1
8 SMIS Adapter	36668-88L00-000 006	-	-	1	-
9 Operation & Installation Manual for 4" Gauge		1	-	-	-
10 Operation & Installation Manual for 2" Gauge		-	-	1	-

***Quantity of T-connector(s) in a kit

OPTIONAL INSTRUMENT TRIM

Change the standard gray bezel to suit your application. Two different bezel finishes are available for 2" or 4" Multi-Function gauges.



The image shows 4" bezel, "chrome", 34193-88L00-000.

4" bezel, chrome
34193-88L00-000

4" bezel, white
34193-88L20-000

2" bezel, chrome
34193-88L40-000

2" bezel, white
34193-88L60-000

SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE UNIT WITH A T-CONNECTOR



34922-88L00-000 005

SMIS ADAPTER



36668-88L00-000 006
for DF40-250 with analog gauge system to add on digital gauges

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR



36663-88L00-000 010

ENGINE INTERFACE

The most important part of the SMIS data system. DF300 of SUZUKI outboards can connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE ADAPTER



36661-98J10-000 007
for single DF300 engine only



36661-98J20-000 008
for dual DF300 engine only



36661-98J30-000 009
for triple DF300 engine only

POWER NODE WITH A T-CONNECTOR



36663-88L10-000 011
Allows network to be powered from multiple power sources (key switch, accessory switch, etc...). For multiple (2 or 3) engines of DF40-250 only.

CONNECTION HARDWARE

T-CONNECTOR



36664-88L00-000 012
T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



36665-88L00-000 013
120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



36665-88L10-000 014
120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK



36666-88L00-000 015
(Black network to Blue devices)
Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK



36666-88L10-000 016
(Blue network to Black devices)

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR



34810-88L00-000 017
Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

SPEED SENSOR WITH A T-CONNECTOR



34190-88L00-000 018
Paddle wheel-type speed sensor. 10ft cable.

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR



34455-88L00-000 019
Surface-water temperature sensor. 10ft cable.



34455-88L10-000 020
(Thru-Hull type)

WATER PRESSURE SENSOR WITH A T-CONNECTOR



34960-88L00-000 021

GPS RECEIVER MODULE WITH A T-CONNECTOR



39950-88L00-000 022
Displays the accurate location and speed on multi-function gauges.

SPEEDOMETER-SUB KIT



34120-98J01-000 024

Applicable model DF70AT-90AT/300T/Z

Not Applicable Model DF90ATH

Contents:	Part Number	Qty/Kit
Speedometer sender	34190-95500-000	1
Speedometer-hose union	55127-87D00-000	1
Hose		1
Clamp (L: 100 mm)	09407-10404-000	2


Use Speedometer sender (34190-95500-000) in case that the integrated sender cannot detect a proper boat-speed.

WATER-PRESSURE-SENSOR KIT

34970-98J01-000 025

Applicable model DF70AT-90AT/300T/Z

This kit can be installed as a water pressure sensor or as a speed sensor. The detail is described in the installation manual, which is contained in the package.



Contents:	Quantity		
	in KIT	used for water-pressure sensor	used for speed sensor
1 Sensor	1	1	1
2 Connector	1	1	1
3 Bolt	1	1	1
4 Clip	4	4	1
5 3-way	1	1	-
6 Water-pressure hose (500mm)	1	1	-
7 Cap	1	-	1


Example of Connection for DF300 with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)


category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number
						1	2	3	1		2		3					
						station(s)												
						1	1	1	2		2		2					
						total	1st	2nd	total	1st	2nd	total	1st	2nd				
required quantity per boat (*1)																		
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L00-000
		4" Gauge Kit	3	KIT														34011-88L00-000
engine interface	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L00-000
	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L00-000
	❹	Engine Interface Adapter for single DF300 engine only	0			1	1											36661-98J10-000
		Engine Interface Adapter for dual DF300 engine only	0									1	1					36661-98J20-000
Engine Interface Adapter for triple DF300 engine only		0												1	1		36661-98J30-000	
power cable	❺	Power Cable	1	1	1	1	1	1	1		1	1		1	1			36663-88L00-000
connection cable	❻	Extension Cable 2 feet	0															36662-88L10-000
		Extension Cable 6 feet	0															36662-88L20-000
		Extension Cable 15 feet	0															36662-88L30-000
		Extension Cable 25 feet	0	1	1													
connection hardware	❼	T-Connector (*3)	1	3	3	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000
	❽	Terminator Female	0	1	1	1	1	1		1		1		1			1	36665-88L00-000
	❾	Terminator Male	0	1	1	1	1	1	1			1	1		1	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
optional trim		4" bezel, chrome (6 pieces in one package)	0															34193-88L00-000
		4" bezel, white (6 pieces in one package)	0															34193-88L20-000
		2" bezel, chrome (6 pieces in one package)	0															34193-88L40-000
		2" bezel, white (6 pieces in one package)	0															34193-88L60-000

NOTE: (*1): The required or recommended quantities are shown. Numbers in round-parentheses show the required ones if equipped.
(*2): While some of SMIS items have a T-connector in a package, the total of the T-connectors coming with them does not always satisfy the required quantity.


SINGLE ENGINE OF DF300




DUAL ENGINE OF DF300




TRIPLE ENGINE OF DF300




SINGLE ENGINE OF DF40-250



DUAL ENGINE OF DF40-250



TRIPLE ENGINE OF DF40-250



Single Station First & Second Station

ELECTRONIC
INSTRUMENT

TACHOMETER



34200-98J13-000	026
Gauge Size	4"
Background	White
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF200T/Z-300T/Z

Readout	Unit	Required item for displaying
Engine RPM	rpm	
Cylinder temperature	°C or °F	
Engine-operating hour	hours	
Atomospheric pressure	kPa or lhg	
Fuel-flow amount	litre/hour or gallons/hour	
Cooling-water pressure	kPa or psi	Available on DF70A-90A with WATER-PRESSURE-SENSOR KIT (34970-98J01-000)
Intake-manifold pressure	kPa or psi	
Trim angle	%	
Battery voltage	Vdc	

WARNING ALARMS
Engine Over Rev, Engine Overheat, Low Oil Pressure, Low Battery Voltage, Oil Change Reminder, and Check Engine Warning.

SPEEDOMETER



34100-98J11-000	027
Gauge Size	4"
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH



34100-98J41-000	028
Gauge Size	4"
Background	White
Maximum Speed	110km/h, 60knots
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

Readout	Unit	Required item for displaying
Speed over water	kph, mph or knots	*Tranducer with speed input for DF40-250
Speed over ground	kph, mph or knots	*NMEA 2000 GPS receiver/antenna connection
Remaining fuel	%	*Fuel-sender (Resistor type)
Fuel-flow rate	litre or US-gallon	
Fuel consumption	kms/litre or miles/US-gallon	*NMEA 2000 GPS receiver/antenna connection
Fuel used	litre or US-gallon	
Trip log	kms or miles	*NMEA 2000 GPS receiver/antenna connection
Water depth	meter / feet	*NMEA 2000 tranducer with water-depth input
Seawater temperature	°C or °F	*NMEA 2000 tranducer with seawater temperature input

QUICK REFERENCE CHART for SPEEDOMETERS

Part number	Background	km/h	mph	knots	Applicable models
34100-98J11-000 027	White	130	80	-	DF70AT-175T/Z
34100-98J41-000 028	White	110	-	60	DF70AT-175T/Z

Note: Not applicable for DF90ATH.

SPEEDOMETER-SUB KIT



34120-98J01-000			029				
Applicable Model		DF70AT-90AT/300T/Z					
Not Applicable Model		DF90ATH					
Contents:		Part Number	Qty/Kit	Contents:		Part Number	Qty/Kit
SPEEDOMETER SENDER		34190-95500-000	059	CLAMP (L: 100 mm)		09407-10404-000	2
SPEEDOMETER-HOSE UNION		55127-87D00-000	1				
HOSE			1	Use SPEEDOMETER SENDER (34190-95500-000) in case that the integrated sender cannot detect a proper boat-speed.			

Use SPEEDOMETER SENDER (34190-95500-000) in case that the integrated sender cannot detect a proper boat-speed.

FUEL GAUGE



34300-98J10-000	030
Gauge Size	2"
Background	White
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

VOLTMETER



34600-98J10-000	031
Gauge Size	2"
Background	White
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

TRIM GAUGE




34800-98J10-000	032
Gauge Size	2"
Background	White
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

WATER-PRESSURE GAUGE



34650-98J10-000	033
Gauge Size	2"
Background	White
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

WATER-PRESSURE-SENSOR KIT (34970-98J01-000) is required for installation to DF70AT-90AT.



WATER-PRESSURE-SENSOR KIT

34970-98J01-000	034
In case of use as	WATER-PRESSURE SENSOR
Applicable Model	DF70AT-90AT/300T/Z
In case of use as	SPEED SENSOR
Applicable Model	DF70AT-90AT/300T/Z

This kit can be installed as a water pressure sensor or as a speed sensor. The detail is described in the installation manual, which is contained in the package.

CONNECTION between
ENGINE and INSTRUMENT

ACTIVE-HUB UNIT



34921-98J00-000	035
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

PASSIVE-HUB UNIT



34921-98J10-000	036
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

INTERFACE UNIT



34922-98J02-000	037
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH
Previous version of INTERFACE UNIT (34922-98J01-000) is not applicable to DF70A-90A.	

INTERFACE-UNIT ADAPTER



36661-93J00-000	038
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

INTERFACE-UNIT HARNESS



36661-98J00-000	039
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

IIINTERFACE-UNIT-ADAPTER LEAD



36646-87L00-000	040
Applicable Model	DF70AT-90AT
Not Applicable Model	DF90ATH

HUB HARNESS



36662-98J00-000	041
1.0 meter	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

36662-98J10-000	
6.5 meters	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

4-INCH-GAUGE CONNECT KIT

34011-98J02-000	
Applicable Model	DF100T-175T/Z

Contents:	Part Number	Qty/Kit
ACTIVE-HUB UNIT	34921-98J00-000 035	1
INTERFACE UNIT	34922-98J02-000 037	1
INTERFACE-UNIT HARNESS	36661-98J00-000 039	1
JUMPER WIRE	36665-98J00-000 046	1
4-INCH-GAUGE HARNESS with a 6-PIN CONNECTOR CAP (36666-98J10-000)	36664-98J00-000 042	1
6-PIN CONNECTOR CAP	36666-98J10-000 045	2

Previous version of kit (34011-98J01-000) is not applicable to DF60A-90A.

4-INCH-GAUGE HARNESS



36664-98J00-000	042
with a 6-PIN CONNECTOR CAP (36666-98J10-000)	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

2-INCH-GAUGE HARNESS



36664-98J10-000	043
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

ACTIVE-HUB POWER HARNESS

36663-98J00-000	
2.5 meters	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH



36663-98J10-000	044
6.0 meters	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

2-PIN CONNECTOR CAP

36667-98J00-000	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

6-PIN CONNECTOR CAP



36666-98J10-000	045
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

8-PIN CONNECTOR CAP

36666-98J00-000	
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

JUMPER WIRE



36665-98J00-000	046
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

RESISTOR HARNESS



36668-98J00-000	047
Applicable Model	DF70AT-175T/Z
Not Applicable Model	DF90ATH

GAUGE-CONNECTION CHART

GAUGE-CONNECTION CHART

for DF70A-175

Category	Part Name & Description			Quantity Of Parts To Be Used Per Boat			Remarks		
4-INCH GAUGE (White)	SPEEDOMETER	Maximum speed: 130 kph / 80 mph	34100-98J11-000	027	(1)	(1)	(1)	Requires NMEA 2000 transducer with speed input or a NMEA 2000 GPS receiver/anntena.	
		Maximum speed: 110 kph / 60 knots	34100-98J41-000	028					
		SPEEDOMETER SENDER		34190-95500-000	059	(1)	(1)	(1)	Only for DF70AT/80AT/90AT. For other models, DF40/50/100-175, either a NMEA 2000 certified speed sender or an analog-type of sendor available in the market can be used.
		TACHOMETER		34200-98J13-000	026	1	2	3	
	2-INCH GAUGE (White)	FUEL GAUGE		34300-98J10-000	030	(1)	(1)	(1)	Requires input from a widely-purchasable potentiometer-type of fuel level sensor.
		VOLT METER		34600-98J10-000	031	(1)	(1)	(1)	
		WATER PRESSURE GAUGE		34650-98J10-000	033	(1)	(1)	(1)	Only for DF70AT/80AT/90AT.
		TRIM GAUGE		34800-98J10-000	032	(1)	(2)	(3)	
	GAUGE-CONNECTION HARDWARE	4-INCH-GAUGE CONNECT KIT *Contents are shown in the chart above.		34011-98J02-000		1	-	-	
		ACTIVE-HUB UNIT		34921-98J00-000	035	KIT	1	1	
		INTERFACE UNIT		34922-98J02-000	037	KIT	1	1	
		INTERFACE-UNIT HARNESS		36661-98J00-000	039	KIT	1	1	
		INTERFACE-UNIT ADAPTER		36661-93J00-000	038	1	1	1	
		INTERFACE-UNIT-ADAPTER LEAD		36646-87L00-000	040	(1)	(1)	(1)	Required for DF70AT/80AT/90AT only.
		ACTIVE HUB POWER HARNESS	2.5 meters	36663-98J00-000		1	1	1	Select one according to the distance from battery.
			6.0 meters	36663-98J10-000	044				
		4-INCH-GAUGE HARNESS with a 6-PIN CONNECTOR CAP (36666-98J10-000)		36664-98J00-000	042	KIT	2	3	A 6-PIN CONNECTOR CAP (36666-98J10-000) is included.
		2-INCH-GAUGE HARNESS		36664-98J10-000	043	▶▶	▶▶	▶▶	▶▶ Quantity of 2-INCH GAUGE HARNESS is equal to the total quantity of 2-INCH GAUGE.
JUMPER WIRE		36665-98J00-000	046	KIT	1	1			
8-PIN CONNECTOR CAP		36666-98J00-000		(1)	(1)	(1)	Installed in case that no speedometer is used.		
6-PIN CONNECTOR CAP		36666-98J10-000	045	KIT	1	0			
RESISTOR HARNESS		36668-98J00-000	047				RESISTOR HARNESS must be used instead of PASSIVE HUB UNIT (34921-98J10-000).		

Note:

• Numbers between parentheses show the maximum quantities required.

• “KIT” in cells means the content of 4-INCH-GAUGE CONNECT KIT (34011-98J02-000).

• All signals go through the tachometer and are distributed to other gauges. It is essential to use the tachometer to bring the other gauges active.

Note: • Numbers between parentheses show the maximum quantities required.
• “KIT” in cells means the content of 4-INCH-GAUGE CONNECT KIT (34011-98J02-000).
• All signals go through the tachometer and are distributed to other gauges.
It is essential to use the tachometer to bring the other gauges active.

			ENGINE(S)		1	1			2	2			3	3				
			STATION(S)		1	2			1	2			1	2				
						total	1st	2nd		total	1st	2nd		total	1st	2nd		
Category			Part Name & Description					Quantity Of Parts To Be Used Per Boat										
CONTENTS OF 4-INCH-GAUGE CONNECT KIT (34011-98J02-000)	ACTIVE-HUB UNIT		34921-98J00-000	035	1	1	1	-	-	-	-	-	-	-	-			
	INTERFACE UNIT		34922-98J02-000	037	1	1	1	-	-	-	-	-	-	-	-			
	INTERFACE-UNIT HARNESS		36661-98J00-000	039	1	1	1	-	-	-	-	-	-	-	-			
	JUMPER WIRE		36665-98J00-000	046	1	1	1	-	-	-	-	-	-	-	-			
	4-INCH-GAUGE HARNESS with a 6-PIN CONNECTOR CAP (36666-98J10-000)		36664-98J00-000	042	1	1	1	-	-	-	-	-	-	-	-			
	6-PIN CONNECTOR CAP		36666-98J10-000	045	2	2	2	-	-	-	-	-	-	-	-			

※ Previous version of kit (34011-98J01-000) is not applicable to DF60A-90A.



ANALOG INSTRUMENT



TACHOMETER



34200-93J20-000	048
Gauge Size	4"
Background	Black
Applicable Model	DF8AR/9.9T/9.9AR/15R/25R

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.



34200-93J00-000	050
Gauge Size	4"
Background	Black
Applicable Model	DF40AT/AQH-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.



34200-93J31-000	049
Gauge Size	4"
Background	White
Applicable Model	DF8AR/9.9T/9.9AR/15R/25R

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.



34200-93J11-000	051
Gauge Size	4"
Background	White
Applicable Model	DF40AT/AQH-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

SPEEDOMETER



34100-93J00-000	052
Gauge Size	4"
Background	Black
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/AQH-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J20-000	054
Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 50mph
Applicable Model	DF25R-115T/Z/140T-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J11-000	053
Gauge Size	4"
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/AQH-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J31-000	055
Gauge Size	4"
Background	White
Maximum Speed	80km/h, 50mph
Applicable Model	DF25R-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J40-000	056
Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 45knots
Applicable Model	DF25R-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.



34100-93J60-000	058
Gauge Size	4"
Background	White
Maximum Speed	120km/h, 65knots
Applicable Model	DF40AT/AQH-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.



34100-93J51-000	057
Gauge Size	4"
Background	White
Maximum Speed	80km/h, 45knots
Applicable Model	DF25R-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY



34190-95500-000	059
Applicable Model	DF40AT/AQH-300T/Z



34190-87D00-000	060
Applicable Model	DF40AT/AQH-250T/Z

Each of DF60-300 models has an integrated SPEEDOMETER SENDER as standard. In case that the integrated sender cannot detect a proper boat-speed, use SPEEDOMETER SENDER.

QUICK REFERENCE CHART for SPEEDOMETERS

part number	Background	km/h	mph	knots	Applicable models
34100-93J00-000 052	Black	130	80	-	DF40AT/AQH-250T/Z
34100-93J11-000 053	White	130	80	-	DF40AT/AQH-250T/Z
34100-93J20-000 054	Black	80	50	-	DF25R-250T/Z
34100-93J31-000 055	White	80	50	-	DF25R-250T/Z
34100-93J40-000 056	Black	80	-	45	DF25R-250T/Z
34100-93J51-000 057	White	80	-	45	DF25R-250T/Z
34100-93J60-000 058	White	120	-	65	DF40AT/AQH-250T/Z

Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S
TEMP	Overheat (Over-revolution)
OIL	Low oil-pressure (Over-revolution) Oil change reminder
REV LIMIT	Over-revolution

ANALOG INSTRUMENT



FUEL GAUGE



34300-93J00-000	061
Gauge Size	2"
Background	Black
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.



34300-93J11-000	062
Gauge Size	2"
Background	White
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.

HOURLY METER



34500-93J00-000	063
Gauge Size	2"
Background	Black
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.



34500-93J11-000	064
Gauge Size	2"
Background	White
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

VOLTMETER



34600-93J00-000	065
Gauge Size	2"
Background	Black
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.



34600-93J11-000	066
Gauge Size	2"
Background	White
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

TRIM GAUGE



34800-93J00-000	067
Gauge Size	2"
Background	Black
Applicable Model	DF40AT/AQH-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.



34800-93J11-000	068
Gauge Size	2"
Background	White
Applicable Model	DF40AT/AQH-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

WATER-PRESSURE GAUGE



34650-93J20-000	069
Gauge Size	2"
Background	Black
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



34650-93J31-000	070
Gauge Size	2"
Background	White
Applicable Model	DF8AR-250T/Z
Not Applicable Model	DF9.9A/9.9TH/15/25

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000	
Applicable Model	DF40AT/AQH-140T/Z


34660-96J00-000	
Applicable Model	DF150T/Z/175T/Z

34660-93J00-000	071
Applicable Model	DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM



REMOTE-CONTROL KIT for DUAL ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J27-000		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J27-000	+	Second Station 67000-98J34-000	QTY
DF300T/Z	QTY	Applicable Model Contents:		DF300T/Z		DF300T/Z	
67200-98J13-000 074		BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX		67200-98J13-000 074	1	67200-98J13-000 074	2
-	1			-		-	1
37100-98J02-000 075	1	MAIN SWITCH PANEL		37100-98J02-000 075	1	-	1
37100-98J21-000 077	1	CONTROL PANEL		37100-98J21-000 077	1	37100-98J21-000 077	2
38500-93J90-000 106	1	WARNING BUZZER		38500-93J90-000 106	1	38500-93J90-000 106	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 104	1
36625-98J00-000 088	1	BATTERY LEAD		36625-98J00-000 088	1	-	1
36770-98J02-000 079	1	BOAT CONTROL MODULE (BCM)		36770-98J02-000 079	1	36770-98J02-000 079	2
36775-98J00-000 080	1	BCM HOLDER (L)		36775-98J00-000 080	1	36775-98J00-000 080	2
36776-98J00-000 081	1	BCM HOLDER (R)		36776-98J00-000 081	1	36776-98J00-000 081	2
-	-	BCM-CONNECT CAP		-	-	-	-
33925-93J00-000 083	1	BCM CUSHION		33925-93J00-000 083	1	33925-93J00-000 083	2
36623-98J11-000	1	BCM #1 WIRING HARNESS		36623-98J11-000	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J10-000	1
33926-98J00-000 089	2	TERMINAL RESISTOR		33926-98J00-000 089	2	-	2
36621-98J00-000 086	1	ENGINE WIRING HARNESS		36621-98J00-000 086	1	-	1
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 087	1
09403-13402-000	15	HARNESS CLAMP		09403-13402-000	15	09403-13402-000	25

REMOTE-CONTROL KIT for SINGLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J07-000		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J07-000	+	Second Station 67000-98J14-000	QTY
67000-98J61-000	QTY	Applicable Model Contents:		67000-98J61-000		DF300T	
DF300T				DF300T		DF300T	
67200-98J03-000 072	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX		67200-98J03-000 072	1	67200-98J03-000 072	2
67200-98J21-000 073				67200-98J21-000 073		-	
37100-98J02-000 075	1	MAIN SWITCH PANEL		37100-98J02-000 075	1	-	1
37100-98J11-000 076	1	CONTROL PANEL		37100-98J11-000 076	1	37100-98J11-000 076	2
38500-93J90-000 106	1	WARNING BUZZER		38500-93J90-000 106	1	38500-93J90-000 106	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 104	1
36625-98J00-000 088	1	BATTERY LEAD		36625-98J00-000 088	1	-	1
36770-98J02-000 079	1	BOAT CONTROL MODULE (BCM)		36770-98J02-000 079	1	36770-98J02-000 079	2
36775-98J00-000 080	1	BCM HOLDER (L)		36775-98J00-000 080	1	36775-98J00-000 080	2
36776-98J00-000 081	1	BCM HOLDER (R)		36776-98J00-000 081	1	36776-98J00-000 081	2
33911-88BL0-000 082	1	BCM-CONNECT CAP		33911-88BL0-000 082	1	33911-88BL0-000 082	2
33925-93J00-000 083	1	BCM CUSHION		33925-93J00-000 083	1	33925-93J00-000 083	2
36623-98J01-000 090	1	BCM #1 WIRING HARNESS		36623-98J01-000 090	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J10-000 091	1
33926-98J00-000 089	2	TERMINAL RESISTOR		33926-98J00-000 089	2	-	2
-	-	ENGINE WIRING HARNESS		-	-	-	-
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 087	1
09403-13402-000	10	HARNESS CLAMP		09403-13402-000	10	09403-13402-000	20

REMOTE-CONTROL KIT for TRIPLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J42-000		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J42-000	+	Second Station 67000-98J52-000	QTY
DF300T/Z	QTY	Applicable Model Contents:		DF300T/Z		DF300T/Z	
67200-98J13-000 074		BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX		67200-98J13-000 074	1	67200-98J13-000 074	2
-	1			-		-	
37100-98J02-000 075	1	MAIN SWITCH PANEL		37100-98J02-000 075	1	-	1
37100-98J31-000 078	1	CONTROL PANEL		37100-98J31-000 078	1	37100-98J31-000 078	2
38500-93J90-000 106	1	WARNING BUZZER		38500-93J90-000 106	1	38500-93J90-000 106	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 104	1
36625-98J00-000 088	1	BATTERY LEAD		36625-98J00-000 088	1	-	1
36770-98J02-000 079	1	BOAT CONTROL MODULE (BCM)		36770-98J02-000 079	1	36770-98J02-000 079	2
36775-98J00-000 080	1	BCM HOLDER (L)		36775-98J00-000 080	1	36775-98J00-000 080	2
36776-98J00-000 081	1	BCM HOLDER (R)		36776-98J00-000 081	1	36776-98J00-000 081	2
-	-	BCM-CONNECT CAP		-	-	-	-
33925-93J00-000 083	1	BCM CUSHION		33925-93J00-000 083	1	33925-93J00-000 083	2
36623-98J11-000	1	BCM #1 WIRING HARNESS		36623-98J11-000	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J10-000	1
33926-98J00-000 089	2	TERMINAL RESISTOR		33926-98J00-000 089	2	-	2
36621-98J10-000	1	ENGINE WIRING HARNESS		36621-98J10-000	1	-	1
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 087	1
09403-13402-000	18	HARNESS CLAMP		09403-13402-000	18	09403-13402-000	28

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

MAIN SWITCH PANEL



37100-98J02-000 075
Single ignition with Emergency-stop switch
Applicable Model DF300T/Z

CONTROL PANEL



37100-98J11-000 076
for Single-Engine
Applicable Model DF300T/Z



37100-98J21-000 077
for Dual-Engine
Applicable Model DF300T/Z




37100-98J31-000 078
for Triple-Engine
Applicable Model DF300T/Z

BOAT CONTROL MODULE (BCM)



36770-98J02-000 079
Applicable Model DF300T/Z

BCM HOLDER (L/R)



36775-98J00-000 080
Applicable Model DF300T/Z

36776-98J00-000 081
Applicable Model DF300T/Z

BCM-CONNECT CAP



33911-88BL0-000 082
Applicable Model DF300T/Z

BCM CUSHION



33925-93J00-000 083
Applicable Model 300T/Z

CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM

MAIN WIRING HARNESS



36620-98J00-000 084
6.5 meters for control system
Applicable Model DF300T/Z

36620-98J10-000
9.5 meters for control system
Applicable Model DF300T/Z

MAIN-WIRING-HARNESS EXTENSION



36620-98J20-000 085
2.0 meters for control system
Applicable Model DF300T/Z

ENGINE WIRING HARNESS



36621-98J00-000 086
for Dual engines
Applicable Model DF300T/Z

36621-98J10-000
for Triple engines
Applicable Model DF300T/Z

DUAL-STATION WIRING HARNESS



36622-98J00-000 087
for Dual-station control system
Applicable Model DF300T/Z

BATTERY LEAD



36625-98J00-000 088
6.5 meters
Applicable Model DF300T/Z

TERMINAL RESISTOR



33926-98J00-000 089
Applicable Model DF300T/Z

BCM #1 WIRING HARNESS



36623-98J01-000 090
for Single engine and Single (First) station
Applicable Model DF300T/Z

36623-98J11-000
for Multiple engines and Single (First) station
Applicable Model DF300T/Z

BCM #2 WIRING HARNESS



36624-98J01-000 091
for Single engine and Second station
Applicable Model DF300T/Z

36624-98J10-000
for Multiple engines and Second station
Applicable Model DF300T/Z

MECHANICAL
REMOTE
CONTROL
SYSTEM

REMOTE-CONTROL KIT for
SINGLE ENGINE + SINGLE STATION

67000-93J03-000		67000-93J45-000		-	
-		-		67000-93J21-000	
-		-		-	
DF40AT/50AT/60AT-250T/Z		DF40AT/50AT/60AT-250T/Z		DF40AT/50AT/60AT-250T/Z	
DF90ATH		DF90ATH		DF90ATH	
	QTY		QTY		QTY
67200-93J12-000	0921	67200-93J12-000	0921	-	-
-	-	-	-	67200-93J32-000	0941
-	-	-	-	-	-
-	-	34200-93J11-000	0511	-	-
-	-	34800-93J11-000	0681	-	-
-	-	36620-93J01-000	11	-	-
-	-	-	-	-	-
37100-96J23-000	1011	37100-96J23-000	1011	37100-96J23-000	1011

-		-		BINNACLE-MOUNT CONTROL KIT	
67000-93J66-000		-		FLUSH-MOUNT CONTROL KIT	
-		67000-93J75-000		SIDE-MOUNT CONTROL KIT	
DF40AT/50AT/60AT-250T/Z		DF40AT/50AT/60AT-250T/Z		Applicable Model	
DF90ATH		DF90ATH		Not Applicable Model	
	QTY		QTY	Contents	
-	-	-	-	BINNACLE MOUNT R/C BOX	
67200-93J32-000	0941	-	-	FLUSH MOUNT R/C BOX	
-	-	67200-93J03-000	11	SIDE MOUNT R/C BOX	
34200-93J11-000	0511	34200-93J11-000	0511	TACHOMETER (Background: White)	
34800-93J11-000	0681	34800-93J11-000	0681	TRIM GAUGE (Background: White)	
36620-93J01-000	11	36620-93J01-000	11	MAIN WIRING HARNESS	
-	-	-	-	MAIN-WIRING-HARNESS EXTENSION	
37100-96J23-000	1011	-	-	IGNITION SWITCH PANEL	

REMOTE-CONTROL KIT for
DUAL ENGINE + SINGLE STATION

67000-93J13-000		67000-93J55-000	
-		-	
-		-	
DF100T-250T/Z		DF100T-250T/Z	
-		-	
	QTY		QTY
67200-93J22-000	0931	67200-93J22-000	0931
-	-	-	-
-	-	-	-
-	-	34200-93J11-000	0511
-	-	34800-93J11-000	0681
-	-	36620-93J01-000	11
-	-	36620-93J10-000	11
37100-96J13-000	1021	37100-96J13-000	1021

BINNACLE-MOUNT
REMOTE CONTROL BOX



67200-93J12-000 092
Single-engine
Applicable Model DF8A-250T/Z
Not Applicable Model DF25/90ATH

BINNACLE-MOUNT
REMOTE CONTROL BOX



67200-93J22-000 093
Dual-engine
Applicable Model DF100T-250T/Z

FLUSH-MOUNT
REMOTE CONTROL BOX



67200-93J32-000 094
Single-engine
Applicable Model DF25R/60AT-250T/Z
Not Applicable Model DF90ATH

SIDE-MOUNT REMOTE CONTROL BOX



67200-91J01-000
Single-engine
Applicable Model DF4-6

67200-94J12-000 095
Single-engine
Applicable Model DF8AR/9.9AR/15/15R/25R

67200-93J03-000
Single-engine
Applicable Model DF40AT/50AT/60AT-250T/Z
Not Applicable Model DF90ATH

CONNECTION between ENGINE and
CONTROL SYSTEM

MAIN WIRING HARNESS




36620-93J51-000
5.0 meters for Control system
Applicable Model DF40AT-250T/Z

36620-93J01-000 098
6.5 meters for Control system
Applicable Model DF9.9T/40AT-250T/Z


36620-93J61-000
8.0 meters for Control system
Applicable Model DF40AT-250T/Z

36620-94J01-000
6.5 meters for Control system without
Monitor-signal wire,
Trim-sender wire and PTT-SW wire
Applicable Model DF8A-25R
Not Applicable Model DF9.9T

SPACER KIT for REMOTE CONTROL BOX



67500-93J00-000 096
for Single Binnacle-mount type
Applicable Model DF8A-250T/Z
Not Applicable Model DF25



67500-93J10-000 097
for Dual Binnacle-mount type
Applicable Model DF40AQH/50ATH/60ATH/AQH/
100T-250T/Z



BATTERY LEAD



36625-93J10-000 099
6.7 meters
Applicable Model DF70AT-250T/Z

MAIN-WIRING-HARNESS
EXTENSION

36620-93J10-000
2.0 meters for Control system
Applicable Model DF25R-250T/Z

36620-93J40-000
3.0 meters for Control system
Applicable Model DF40AT/50AT/60AT-250T/Z
Not Applicable Model DF90ATH

MECHANICAL REMOTE CONTROL SYSTEM

SWITCH PANEL

IGNITION SWITCH PANEL



37100-96J00-000	100
Single ignition	
Applicable Model	DF25R/40AT/50AT/60AT-250T/Z
Not Applicable Model	DF90ATH

IGNITION SWITCH PANEL



37100-96J23-000	101
Single ignition with Emergency-stop switch	
Applicable Model	DF25R/40AT/50AT/60AT-250T/Z
Not Applicable Model	DF90ATH

IGNITION SWITCH PANEL



37100-96J13-000	102
Dual ignition with Emergency-stop switch	
Applicable Model	DF70AT-250T/Z
Not Applicable Model	DF90ATH

WARNING BUZZER



38500-93J90-000	106
Applicable Model DF25R/40AT/50AT/60AT-300T/Z	
Not Applicable Model DF90ATH	

THRU-HULL-HOSE ATTACHMENT



67300-90J00-000	
Applicable Model DF70AT-140T/Z	

67300-93J00-000	107
Applicable Model DF150T/Z-300T/Z	

TWIN REMOCON ATTACHMENT KIT



67140-95600-000	108
Applicable Model DF9.9T-15R/100T-250T/Z	

REMOTE-CONTROL CABLE



67320-93J00-000	109
8 feet 2.44 meters	
Applicable Model DF4-250T/Z	

67320-93J10-000	
10 feet 3.05 meters	
Applicable Model DF4-250T/Z	

67320-93J20-000	
12 feet 3.66 meters	
Applicable Model DF4-250T/Z	

67320-93J30-000	
14 feet 4.27 meters	
Applicable Model DF4-250T/Z	

67320-93J40-000	
16 feet 4.88 meters	
Applicable Model DF4-250T/Z	

67320-93J50-000	
18 feet 5.49 meters	
Applicable Model DF4-250T/Z	

67320-93J60-000	
20 feet 6.10 meters	
Applicable Model DF4-250T/Z	

67320-93J70-000	
22 feet 6.71 meters	
Applicable Model DF4-250T/Z	

67320-93J80-000	
24 feet 7.32 meters	
Applicable Model DF4-250T/Z	

GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-91J01-000	110
Applicable Model DF4-6	

67130-94J11-000	
Applicable Model DF9.9T/15/15R	
Not Applicable Model DF9.9TH	



67130-95J02-000	111
Applicable Model DF25	

67130-99J00-000	
Applicable Model DF8A/9.9A	

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00-000.

CLAMP BRACKET SET

41100-99J00-0EP	
Applicable Model DF8A/8AR/9.9A/9.9AR	

LIGHTING SWITCH PANEL



37210-93J00-000	103
Applicable Model DF25R/40AT/50AT/60AT-250T/Z	
Not Applicable Model DF90ATH	

EMERGENCY SWITCH PANEL



37803-93J03-000	104
Applicable Model DF25R/40AT/50AT/60AT-300T/Z	
Not Applicable Model DF90ATH	

PTT SWITCH PANEL



37805-93J00-000	105
Applicable Model DF40AT/50AT/60AT-250T/Z	
Not Applicable Model DF90ATH	

STEERING

TILLER HANDLE KIT



63001-94J23-0EP

Applicable Model DF15R

63002-88L01-0EP

Applicable Model DF40AT-60AT

63002-87L02-0EP

Applicable Model DF70AT-90AT

Not Applicable Model DF90ATH

63002-90J26-0EP

with Adjustable Steering Damper

Applicable Model DF100T/115T/Z

CONTENTS: Ignition switch, Engine-stop switches, Wiring harness, Cables and Grommets
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR



67600-90J00-000

Stainless steel

Applicable Model DF100T-140T/Z

67600-93J00-000

Stainless steel

Applicable Model DF150T/Z-250T/Z

STEERING EXTENSION KIT



67630-93J00-000

for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)

Applicable Model DF150T/Z-250T/Z

STEERING-CABLE ATTACHMENT



41141-89E00-000

Applicable Model DF9.9T/TH/15

Must be used when installing through-tilt-tube steering to ensure steering angles equally to the right and left.

STEERING-BRACKET SUB-ATTACHMENT



67720-93E00-000

Applicable Model DF9.9TH/15

Not Applicable Model DF9.9T

STEERING CABLE SEAL



41161-94400-000

Applicable Model DF8AR/9.9AR/9.9T/15R/25R/40AT-250T/Z

Not Applicable Model DF9.9A/9.9TH/90ATH

STEERING-BRACKET ATTACHMENT



43755-94J01-000

Applicable Model DF9.9TH/15/15R

43755-94JA0-000

Applicable Model DF9.9T

43755-95J01-000

Applicable Model DF25/25R

Used to connect DRAG LINK.

DRAG-LINK KIT



67700-87L00-000

Applicable Model DF70AT-90AT

67700-93J00-000

Applicable Model DF40AQH/50ATH/60ATH/AQH/200T/Z-250T/Z

67700-95J01-000

Applicable Model DF25

67700-96J00-000

Applicable Model DF150T/Z/175T/Z

67701-87J11-000

Applicable Model DF40AT/AQH-60AT/ATH/AQH/200T/Z-250T/Z

67701-87L00-000

Applicable Model DF70AT-90AT/ATH

67701-90J00-000

Applicable Model DF100T-140T/Z

67701-93E12-000

Applicable Model DF9.9TH/15/15R

67701-94JA0-000

Applicable Model DF9.9T

Not Applicable Model DF9.9TH

67701-95J00-000

Applicable Model DF25/25R

67701-96J00-000

Applicable Model DF150T/Z/175T/Z

Recommended STEERING SYSTEM supplied by **Teleflex MARINE** www.teleflexmarine.com

Order taking, delivery, technical support and warranty for these products are handled by Teleflex. Please consult to local Teleflex distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BayStar™



BAYSTAR

BAYSTAR OUTBOARD SYSTEM - HK4645H

System comprises:	
BayStar Helm 1.4cu" (22.94cc)	HH4314
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x 1 litre hydraulic oil	HO5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H

SeaStar




SEASTAR

SEASTAR OUTBOARD SYSTEM - HK6400

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x 1 litre hydraulic oil	HO5430
Note: 1 x SeaStar hose kits must be ordered separately	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SeaStar^{PLA}™




SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x 1 litre hydraulic oil	HO5430
SeaStar 12v Power Assist Unit	PA1200

Note: 2 x SeaStar hose kits must be ordered separately
*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

*For further application information please refer to www.teleflexmarine.com



TIE-BAR KIT

Features


General purpose system.

Single and multiple engine capability.

Total power up to 700 HP

*counter-rotating.

Independent engine tilt for twin engine
Easy steering.
5 turns lock to lock steering response.



Applications

Twin Engine Application for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358	HO6003	HO6002	Requires kit HO5090
DF70A/80A/90A	HC5358	HO6003	HO6002	Requires kit HO5090
DF100	HC5358	HO6003	HO6002	Requires kit HO5090
DF115/140	HC5358	HO6003	HO6002	Requires kit HO5090
DF150/175	HC5345	HO6003	HO6002	
DF200/225/250	HC5345	HO6003	HO6002	
DF300	HC5345	HO6003	HO6002	

Triple Engine Configuration for Suzuki Outboard Motors


MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345	HO6003	HO6002	See notice
DF200/225/250	HC5345	HO6003	HO6002	See notice
DF300	HC5345	HO6003	HO6002	See notice

Notice : Two cylinders are required to operate a triple engine set up.



ELECTRICAL PARTS

ELECTRIC STARTER KIT



31000-94J01-000
Applicable Model DF15

31000-95J00-000 120
Applicable Model DF25

31000-99J00-000
Applicable Model DF8A/9.9A

Converts MZ model into ME model.

RECTIFIER SET



32801-91J00-000 121
Applicable Model DF4-6



32801-94J01-000 122
Applicable Model DF15



32801-95J01-000 123
Applicable Model DF8A/9.9A/25

RECEPTACLE KIT



39600-91J00-000 124
Applicable Model DF4-6



39600-94J01-000 125
Applicable Model DF8A/9.9A/15



39600-95J01-000 126
Applicable Model DF25

BATTERY ISOLATOR LEAD SET



33830-96J00-000 127
Applicable Model DF150T/Z/175T/Z

33830-98J01-000
Applicable Model DF300T/Z

STATOR & PULSER COIL COMPONENT



32120-94J10-000
12V, 120W
Applicable Model DF15

32120-95J00-000 128
12V, 180W
Applicable Model DF25

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

ANODE

ZINC ANODE for saltwater



41811-98500-000 129
Applicable Model DF9.9T-15R
Not Applicable Model DF9.9A/9.9AR



55300-95500-000 130
Applicable Model DF8A/AR-60AT/ATH/AQH
Not Applicable Model DF25/25R



55320-95311-000 131
Applicable Model DF40AT/AQH-60AT/ATH/AQH/150T/Z-300T/Z



55321-93900-000 132
Applicable Model DF9.9T/9.9TH/15/15R
Not Applicable Model DF9.9A/9.9AR



55125-96310-000 133
Applicable Model DF25/25R



55321-90J01-000 134
Applicable Model DF100T-140T/Z



55125-95500-000 135
Applicable Model DF100T-140T

ALUMINUM ANODE for brackish water, saltwater



55321-87J00-000 136
Applicable Model DF2.5-300T/Z
Not Applicable Model DF15/15R

55320-94900-000 137
Applicable Model DF60AT/ATH/AQH-300T/Z




55321-95J00-000 138
Applicable Model DF2.5/25/25R



55321-99E00-000 139
Applicable Model DF9.9T/9.9TH/15/15R

MAGNESIUM ANODE for freshwater



55321-87J10-000 140
Applicable Model DF2.5-300T/Z
Not Applicable Model DF15/15R

55321-94910-000 141
Applicable Model DF70AT-300T/Z

FUEL SYSTEM

FUEL TANK



65000-99100-000 142
12-litre plastic tank with no fuel-level gauge
Applicable Model DF4-15/15R

65000-95D01-000 143
25-litre plastic tank with a fuel-level gauge
Applicable Model DF8A/AR-140T/Z

REPLACEMENT FUEL CAP

65520-99100-000
for 12-litre tank with no fuel-level gauge
Applicable Model DF4-15/15R

65520-95D00-000
for 25-litre tank with a fuel-level gauge
Applicable Model DF8A/AR-140T/Z

FUEL-HOSE SOCKET


65750-98505-000 144
Metal, Inner diameter: 11.2 mm
Applicable Model DF4-15/15R


65750-87J11-000 145
Plastic, Inner diameter: 6.6 mm
Applicable Model DF4-25/25R


65750-95500-000 146
Metal, Inner diameter: 13.0 mm
Applicable Model DF8A/AR-140T/Z

FUEL CONNECTOR (ENGINE SIDE)


65720-986B0-000 147
Plastic
Applicable Model DF4-25/25R

FUEL CONNECTOR (TANK SIDE)


65740-95D01-000 148
Outer diameter: 13 mm, 1/4"NPT
Applicable Model DF8A/AR-140T/Z



PRIMER BULB (SQUEEZE PUMP)

65770-93904-000 149
Small-in & Large-out
Applicable Model DF4-15/15R

65770-95505-000
Large-in & Large-out
Applicable Model DF8A/AR-140T/Z
Not Applicable Model DF9.9T/TH/15/15R

65770-87D00-000
Large-in & Large-out
Applicable Model DF150T/Z-300T/Z

WATER SEPARATOR / FUEL FILTER



99000-79N12-012 150
Normal size
Applicable Model DF70AT-300T/Z

REPLACEMENT FILTER

99000-79N12-011
for Normal size
Applicable Model DF70AT-300T/Z

BOWL & DRAIN VALVE ASSEMBLY

99000-79N12-013
for Normal size
Applicable Model DF70AT-300T/Z

WATER SEPARATOR / FUEL FILTER



99000-79N12-015 151
Compact size
Applicable Model DF70AT-140T/Z

REPLACEMENT FILTER

99000-79N12-014
for Compact size
Applicable Model DF70AT-140T/Z

BOWL & DRAIN VALVE ASSEMBLY

99000-79N12-016
for Compact size
Applicable Model DF70AT-140T/Z



FUEL-HOSE COMPONENT



65700-91J13-000
for 12-litre plastic tank to engine
Applicable Model DF4-9.9AR/15/15R
Not Applicable Model DF9.9T/9.9TH

65700-93J00-000 152
for fuel tank to engine
Applicable Model DF150T/Z-300T/Z

65700-87J13-000
for 25-litre plastic tank to engine
Applicable Model DF8A-9.9AR/15/25/25R
Not Applicable Model DF9.9T/9.9TH

65700-90J12-000
for 25-litre plastic tank to engine
Applicable Model DF40AQH-140T

Application Chart for FUEL HOSE COMPONENT

Engine Side (Outlet)														Tank Side (Inlet)			
SOCKET		HOSE						SQUEEZE PUMP		HOSE				SOCKET			
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)	I/D (mm)	O/D (mm)			D Length (mm)	I/D (mm)	O/D (mm)		Material	E I/D (mm)	Part Number	
65700-91J13-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-93904-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000	
65700-93J00-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-87D00-000	2250	Large	9.0	14.0	(no socket)	-	-	
65700-87J13-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-95505-000	1100		7.3	12.5	Metal	13	65750-95500-000	
65700-90J12-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-95505-000	1100		7.3	12.5	Metal	13	65750-95500-000	

PROPELLER



HARDWARE FOR PROPELLER

Applicable Model	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
		SPACER				SPACER	WASHER	NUT	COTTER PIN
DF2.5	-	-	-	-	N/A	-	-	-	(09204-02001-000)
DF4/5/6	57635-91J00-000	-	58120-91J00-000	Press-In	N/A	-	-	(58130-91J01-000)	(09204-03003-000)
DF8A/9.9A	57632-93902-000	-	58120-93701-000	Press-In	57630-99J00-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9/15	57632-93902-000	-	58120-93701-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 with HIGH THRUST propeller	57632-93902-000	-	58120-94JA0-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	-	58120-88L00-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L00-000		58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100/115 T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000	58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115 Z model (Counter-Rotation)	57635-92J01-000	-	58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140	57635-92J01-000	-	58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300	57632-93J11-000	-	58105-93J00-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*Rotation: RR: Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A510	Aluminum	3	7 3/8	5 3/8	RR		58111-97J00-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91J00-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91J10-019
DF6	C701	Aluminum	3	7 1/2	7	RR		58110-91J20-019
DF9.9	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-91D00-019
	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-93763-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-93773-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
DF9.9A	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-91D00-019
DF15	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-93763-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-93773-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF25	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96370-019
	P1001	Aluminum	3	10 1/4	10	RR		58100-96410-019
	P1101	Aluminum	3	10 1/4	10	RR	THICK	58100-96470-019
	P101	Aluminum	3	10 1/4	11	RR		58100-96420-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-96430-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96480-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-96440-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96490-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D00-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96460-019
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L01-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L11-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L21-019
	S1200	Aluminum	3	11 5/8	12	RR		58100-88L31-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88L41-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L51-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L61-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L70-019
	S1700	Aluminum	3	11	17	RR		58100-88L80-019
	SS1300	Stainless	3	11 1/2	13	RR		58200-88L00-000
	SS1400	Stainless	3	11 3/8	14	RR		58200-88L10-000
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000



model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87L00-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87L10-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87L20-019
	Aluminum	3	13 3/4	19	RR	58100-87L30-019
	Aluminum	3	13 3/4	21	RR	58100-87L40-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90J41-019
	Aluminum	3	14	17	RR	58100-90J01-019
	Aluminum	3	14	19	RR	58100-90J11-019
	Aluminum	3	14	21	RR	58100-90J21-019
	Aluminum	3	14	23	RR	58100-90J31-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
DF100	Aluminum	3	13 1/2	15	RR	58100-90J41-019
DF115	Aluminum	3	14	17	RR	58100-90J01-019
DF140	Aluminum	3	14	19	RR	58100-90J11-019
	Aluminum	3	14	21	RR	58100-90J21-019
	Aluminum	3	14	23	RR	58100-90J31-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	14 1/4	18	CR	58200-92J00-000
	Stainless	3	14 1/4	20	CR	58200-92J10-000
	Stainless	3	14 1/4	22	CR	58200-92J20-000
	Stainless	3	14 1/4	24	CR	58200-92J30-000

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	17	RR	58200-93J00-000
DF175	Stainless	3	16	18 1/2	RR	58200-93J10-000
DF200	Stainless	3	16	20	RR	58200-93J20-000
DF225	Stainless	3	16	21 1/2	RR	58200-93J30-000
DF250	Stainless	3	16	23	RR	58200-93J40-000
DF300	Stainless	3	16	24 1/2	RR	58200-93J50-000
	Stainless	3	16	26	RR	58200-93J60-000
	Stainless	3	16	27 1/2	RR	58200-93J70-000
	Stainless	3	16	17	CR	58200-93JE0-000
	Stainless	3	16	18 1/2	CR	58200-93JA0-000
	Stainless	3	16	20	CR	58200-93JB0-000
	Stainless	3	16	21 1/2	CR	58200-93JC0-000
	Stainless	3	16	23	CR	58200-93JD0-000
	Stainless	3	16	24 1/2	CR	58200-93JE0-000
	Stainless	3	16	26	CR	58200-93JG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000



CARE ITEM

MAINTENANCE ITEM

ENGINECOVER



68110-96110-000
Applicable Model for DF4-15

68110-94400-000
Applicable Model for DF25

68110-94510-000
Applicable Model for DF40-60

FLUSH-HOSE ATTACHMENT



55181-95200-000
Applicable Model DF4-15R/40AT-60AT
Not Applicable Model DF8A-9.9AR



17917-87L00-000
Applicable Model DF25/25R/40AT-300T/Z

LIQUID GASKET



93691-80030-000
SILICONE SEAL KE45T
100 grams



99000-31140-000
1207B (BLACK)
100 grams (3.4 oz)

PAINT



99000-10109-01T
Francois white
90 grams (3.0 oz)

99000-10109-0EP
Metallic shadow black
90 grams (3.0 oz)

GREASE



99000-25011-000
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal



99000-25350-000
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)



99000-25140-000
MOLY PASTE
50 grams (1.7 oz)

THREAD LOCK



99000-32020-000
1333B (RED)
50 grams (1.7 oz)



99000-32050-000
1342 (BLUE)
50 grams (1.7 oz)

GEAR OIL




99000-22B22-000
HYPOID GEAR OIL SAE90 APIGL-5
400ml

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL. Please note that these oils are not available at some countries. Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988. Extending this trusted relationship led to the development of new Suzuki Marine Oils. These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.



GEAR OIL
SAE 90, API GL-5
0.35 litre



4-STROKE ENGINE OIL
SAE 10W-30 Semi-synthetic
5 litre FCW



4-STROKE ENGINE OIL
SAE 10W-40 Semi-Synthetic
5 litre FCW

part name	volume	part number	DF300	DF250	DF225	DF200	DF175	DF150	DF140	DF115	DF100	DF90A	DF80A	DF70A	DF60	DF50	DF40	DF25	DF15	DF9.9	DF6	DF5	DF4	DF2.5
LIQUID GASKET	SILICONE SEAL KE45T	93691-80030-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LIQUID GASKET	1207B (BLACK)	99000-31140-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASE	SUPER GREASE-A	99000-25011-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
GREASE	WATER RESISTANT GREASE EP2	99000-25350-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASE	MOLY PASTE	99000-25140-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
THREAD LOCK	1333B (RED)	99000-32020-000	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0	0	-	-	-	-
THREAD LOCK	1342 (BLUE)	99000-32050-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GEAR OIL	HYPOID GEAR OIL SAE90 APIGL-5	99000-22B22-000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

0: Available - -: Not available

APPLICATION CHART

Items and their part numbers showing in the application chart are typically recommended, and applicable to models of engine numbers shown in page 03. Please consult your local dealers regarding rigging-parts and accessories for the other models of engine numbers.

page	Part Name / Description	DF300	DF200/225/250	DF150/175	DF140	DF100/115	DF70A/80A/90A	DF40A/50A/60A	DF25	DF15	DF9.9T only	DF8A/9.9A	DF4/5/6
18, 22	REMOTE CONTROL BOX												
	Binnacle-mount for Single-Engine	67200-98J03-000	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	67200-93J12-000 ⁰⁹²	-	-
	Binnacle-mount for Dual-Engine	67200-98J13-000	67200-93J22-000 ⁰⁹³	67200-93J22-000 ⁰⁹³	67200-93J22-000 ⁰⁹³	67200-93J22-000 ⁰⁹³	67200-93J22-000 ⁰⁹³	67200-93J22-000 ⁰⁹³	-	-	-	-	-
	Flush-mount for Single-Engine	67200-98J21-000	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	67200-93J32-000 ⁰⁹⁴	-	-	-
	Side-mount for Single-Engine	-	67200-93J03-000	67200-93J03-000	67200-93J03-000	67200-93J03-000	67200-93J03-000	67200-93J03-000	67200-94J12-000 ⁰⁹⁵	67200-94J12-000 ⁰⁹⁵	67200-93J03-000	67200-94J12-000 ⁰⁹⁵	67200-91J01-000
18, 22	Binnacle-mount REMOTE CONTROL KIT												
	for Single-Engine + Single-station	67000-98J07-000	67000-93J03-000	67000-93J03-000	67000-93J03-000	67000-93J03-000	67000-93J03-000	67000-93J03-000	-	-	-	-	-
	for Single-Engine + Second-station	67000-98J14-000	-	-	-	-	-	-					
	for Dual-Engine + Single-station	67000-98J27-000	67000-93J13-000	67000-93J13-000	67000-93J13-000	67000-93J13-000	67000-93J13-000	67000-93J13-000	-	-	-	-	-
	for Dual-Engine + Second-station	67000-98J34-000	-	-	-	-	-	-					
	for Triple-Engine + Single-station	67000-98J42-000	-	-	-	-	-	-	-	-	-	-	-
	for Triple-Engine + Second-station	67000-98J52-000	-	-	-	-	-	-					
18, 22	Flush-mount REMOTE CONTROL KIT												
	for Single-Engine + Single-station	67000-98J61-000	67000-93J21-000	67000-93J21-000	67000-93J21-000	67000-93J21-000	67000-93J21-000	67000-93J21-000	-	-	-	-	-
			67000-93J66-000	67000-93J66-000	67000-93J66-000	67000-93J66-000	67000-93J66-000	67000-93J66-000					
23	Side-mount REMOTE CONTROL KIT												
	for Single-Engine + Single-station	-	67000-93J75-000	67000-93J75-000	67000-93J75-000	67000-93J75-000	67000-93J75-000	67000-93J75-000	-	-	-	-	-
22	SPACER KIT for REMOTE CONTROL BOX												
	for Single Binnacle-mount type	-	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	67500-93J00-000 ⁰⁹⁶	-
	for Dual Binnacle-mount type	-	67500-93J10-000 ⁰⁹⁷	67500-93J10-000 ⁰⁹⁷	67500-93J10-000 ⁰⁹⁷	67500-93J10-000 ⁰⁹⁷	67500-93J10-000 ⁰⁹⁷	67500-93J10-000 ⁰⁹⁷	-	-	-	-	-
25	REMOTE-CONTROL CABLE		-	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25
25	REMOTE-CONTROL ATTACHING KIT		-	-	-	-	-	-	67130-95J02-000 ¹¹¹	67130-94J11-000	67130-94J11-000	67130-99J00-000	67130-91J01-000 ¹¹⁰
21, 23	MAIN WIRING HARNESS												
	5.0 meters	-	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	-	-	-	-	-
	6.5 meters	36620-98J00-000 ⁰⁸⁴	36620-93J01-000 ⁰⁹⁸	36620-93J01-000 ⁰⁹⁸	36620-93J01-000 ⁰⁹⁸	36620-93J01-000 ⁰⁹⁸	36620-93J01-000 ⁰⁹⁸	36620-93J01-000 ⁰⁹⁸	36620-94J01-000	36620-94J01-000	36620-93J01-000 ⁰⁹⁸	36620-94J01-000	-
	8.0 meters	-	36620-93J61-000	36620-93J61-000	36620-93J61-000	36620-93J61-000	36620-93J61-000	36620-93J61-000	-	-	-	-	-
	9.5 meters	36620-98J10-000	-	-	-	-	-	-	-	-	-	-	-
21, 23	MAIN-WIRING-HARNESS EXTENSION												
	2.0 meters	36620-98J20-000 ⁰⁸⁵	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	-	-	-	-
	3.5 meters	-	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	-	-	-	-	-
21, 23	BATTERY LEAD		36625-98J00-000 ⁰⁸⁸	36625-93J10-000 ⁰⁹⁹	36625-93J10-000 ⁰⁹⁹	36625-93J10-000 ⁰⁹⁹	36625-93J10-000 ⁰⁹⁹	36625-93J10-000 ⁰⁹⁹	-	-	-	-	-
24	IGNITION SWITCH PANEL												
	Single ignition	-	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	37100-96J00-000 ¹⁰⁰	-	-	-	-
	Single ignition + Emergency-stop switch	-	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	37100-96J23-000 ¹⁰¹	-	-	-	-
	Dual ignition + Emergency-stop switch	-	37100-96J13-000 ¹⁰²	37100-96J13-000 ¹⁰²	37100-96J13-000 ¹⁰²	37100-96J13-000 ¹⁰²	37100-96J13-000 ¹⁰²	37100-96J13-000 ¹⁰²	-	-	-	-	-
24	MAIN SWITCH PANEL		37100-98J02-000 ⁰⁷⁵	-	-	-	-	-	-	-	-	-	-
20	CONTROL PANEL												
	for Single engine	37100-98J11-000 ⁰⁷⁶	-	-	-	-	-	-	-	-	-	-	-
	for Dual engine	37100-98J21-000 ⁰⁷⁷	-	-	-	-	-	-	-	-	-	-	-
	for Triple engine	37100-98J31-000 ⁰⁷⁸	-	-	-	-	-	-	-	-	-	-	-
24	EMERGENCY SWITCH PANEL		37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	37803-93J03-000 ¹⁰⁴	-	-	-	-
24	PTT SWITCH PANEL		-	37805-93J00-000 ¹⁰⁵	37805-93J00-000 ¹⁰⁵	37805-93J00-000 ¹⁰⁵	37805-93J00-000 ¹⁰⁵	37805-93J00-000 ¹⁰⁵	-	-	-	-	-
24	LIGHTING SWITCH PANEL		-	37210-93J00-000 ¹⁰³	37210-93J00-000 ¹⁰³	37210-93J00-000 ¹⁰³	37210-93J00-000 ¹⁰³	37210-93J00-000 ¹⁰³	37210-93J00-000 ¹⁰³	-	-	-	-
31	STATOR & PULSER COIL COMPONENT		-	-	-	-	-	-	32120-95J00-000 ¹²⁸	32120-94J10-000	-	-	-
30	ELECTRIC STARTER KIT		-	-	-	-	-	-	31000-95J00-000 ¹²⁰	31000-94J01-000	-	31000-99J00-000	-
30	BATTERY CHARGING KIT		-	-	-	-	-	-	32000-95J01-000	32000-94J01-000	-	32000-99J00-000	32000-91J00-000
31	BATTERY ISOLATOR LEAD SET		33830-98J01-000	-	33830-96J00-000 ¹²⁷	-	-	-	-	-	-	-	-
31	ANODE		See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31
26	TILLER HANDLE KIT		-	-	-	-	63002-90J26-0EP ¹¹²	63002-87L02-0EP	63002-88L01-0EP	-	63001-94J23-0EP	-	-
26	STEERING EXTENSION KIT		-	67630-93J00-000 ¹¹⁴	67630-93J00-000 ¹¹⁴	-	-	-	-	-	-	-	-
26	DRAG-LINK KIT		-	67700-93J00-000	67700-96J00-000	67701-90J00-000	67701-90J00-000	67701-87L00-000	67701-87J11-000	67700-95J01-000	67701-93E12-000 ¹¹⁹	67701-94JA0-000	67701-99J00-000
26	STEERING-BRACKET ATTACHMENT		-	-	-	-	-	-	43755-95J01-000	43755-94J01-000 ¹¹⁸	43755-94JA0-000	43755-99J00-000	-
26	DUAL-ENGINE TIE-BAR		-	67600-93J00-000	67600-93J00-000	67600-90J00-000 ¹¹³	67600-90J00-000 ¹¹³	-	-	-	-	-	-
32	FUEL TANK		-	-	-	65000-95D01-000 ¹⁴³	65000-95D01-000 ¹⁴³	65000-95D01-000 ¹⁴³	65000-95D01-000 ¹⁴³	65000-99100-000 ¹⁴²	65000-99100-000 ¹⁴²	65000-99100-000 ¹⁴²	65000-99100-000 ¹⁴²
33	FUEL-HOSE COMPONENT		65700-93J00-000 ¹⁵²	65700-93J00-000 ¹⁵²	65700-93J00-000 ¹⁵²	65700-90J12-000	65700-90J12-000	65700-90J12-000	65700-90J12-000	65700-87J13-000 65700-87J13-000	-	65700-91J13-000 65700-87J13-000	65700-91J13-000
34	PROPELLER		See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	58100-94JA0-000	See page 34-35	See page 34-35